

迪申车辆

di shen che liang

迪申科技 行稳致远

公司简介

COMPANY introduction

四川迪申科技有限责任公司坐落于南充市营山县经济技术开发区，公司占地面积50亩，厂房面积24000余平方米，现有员工共100余人，其中专业技术人员27人。目前，已建成全自动电动摩托车车架和车厢喷涂线、全制动机器人焊接生产线，安装高功率激光切管和激光切板机、全自动弯管机和数控折弯剪板机等设备，拥有电动摩托车的冲压、焊接、喷涂、装四大完整生产工艺，具备年产11万台电动摩托车（L1至L5类）的生产能力，实现年产值5亿元+，实现税收1500万元+。

四川迪申科技有限责任公司怀揣“行稳致远”的企业使命，“精于技，诚于心”的经营理念，“聚合力，勇革新”的发展思路，志在引领行业，稳步迈向辉煌未来。



Sichuan Dishen Technology Co., Ltd. is located in the Economic and Technological Development Zone of Yingshan County, Nanchong. The company covers an area of 50 acres, with a factory building area of more than 24,000 square meters. There are more than 10 employees, including 27 professional and technical personnel. At present, the company has built fully automatic electric motorcycle frame and cargo box spraying lines, fully automatic robotic welding production, and has installed high-power laser pipe cutting and laser plate cutting machines, fully automatic pipe bending machines, and CNC folding shears. It has four complete production processes for motorcycles, including stamping, welding, spraying, and assembly, with an annual production capacity of 110,000 electric motorcycles (L1 to L5), achieving an annual output value of 500 million yuan , and achieving tax revenue of 15 million yuan .

With the corporate mission of moving forward steadily", the management philosophy of "excellence in technology, sincerity in heart", and the development idea of "concentration of strength, courage to innov", Sichuan Dishen Technology Co., Ltd. is committed to leading the industry and steadily moving towards a brilliant future.

文化理念

Culture idea

使命

以品质为使命 以服务为宗旨

愿景

推动中国新能源交通产业的发展，成为电动车行业具备全球竞争力的国际化企业集团

价值观

客户第一、结果导向、利他共赢

人才理念

态度决定高度、结果体现价值，能量创造卓越、奋斗创造未来

MISSION

Quality as mission; service as purpose.

VISION

Promote the development of China's new energy transportation industry and become an international enterprise group with global competitiveness in the electric vehicle industry

VALUES

Customer first, result-oriented, altruistic and win-win

TALENT CONCEPT

Attitude determines altitude, results reflect value, energy creates excellence, and struggle creates the future

Enterprise advantages

企业优势

12+

多年的生成与研发经验

30+

专业的生产设备

130K+

生产厂区面积

200K+

生产产量

企业优势

CORPORATE ADVANTAGE

国际性

迪申团队拥有国际市场经验和对本土市场的深刻理解。在过去的数年中，我们已经为全球20多个国家和地区的100多家客户提供了高品质的电动三轮车产品。

创新性

迪申通过技术创新，为三轮车的应用场景探索了更多的可能性。我们的技术团队拥有丰富的研发经验和持续创新的坚定热情。在短短的数年里，我们已经开发了超过100种产品，涵盖了各种应用场景，并为众多行业带来了创新和技术进步。

质量

质量是我们产品的核心。通过超过行业标准的严谨质量管理，为客户提供质量稳定性能优越的车辆，帮助客户建立更大的市场影响力和品牌实力。

服务

我们在信任的基础上建立稳固的客户关系。详细的售前咨询到全面的售后支持，我们为客户提供专业和高品质的服务。客户的成功，就是我们成功的瞬间。

INTERNATIONALITY

The Dishen team has international market experience and a deep understanding of the local market. In the past several years, we have provided high-quality electric tricy to more than 100 customers in more than 20 countries and regions around the world.

INNOVATIVENESS

Dishen has explored more possibilities for the application scenarios of tricycles through technological innovation. Our technical team has extensive R&D experience and a strong passion continuous innovation. In just a few years, we have developed more than 100 products covering various application scenarios, bringing innovation and technological progress to many industries.

QUALITY

Quality is the core of our products. Through rigorous quality management that exceeds industry standards, we provide customers with vehicles that are stable in quality and superior in performance, customers build greater market influence and brand strength.

SERVICE

We build solid customer relationships on the basis of trust. From detailed pre-sales consultation to comprehensive after-sales support, we provide professional and high-quality services our customers. The success of our customers is the moment of our

四大工艺 FOUR PROCESSES

冲压车间



焊接车间



涂装车间



总装车间



雄霸 (B款)



产品/Product



参数/Parameters

规格尺寸:	1600x1100mm
Specifications size:	1600x1100mm
控制器:	专用
Controller:	Specialized
后 桥:	半浮/全浮
Rear axle:	Semi-floating/Full floating
电 机:	1500/2200W
Motor:	1500/2200W
减 震:	43外簧液压减震
Shock absorption:	43External spring hydraulic damper
轮 胎:	适配 前370 后400
Tires:	Fit front 370 back 400

霸道



产品/Product



参数/Parameters

规格尺寸:	1800x1300mm	电机:	1800/2200W
Specifications size:	1800x1300mm	Motor:	1800/2200W
控制器:	30/36管	减震:	43外簧液压减震
Controller:	30/36Pipe	Shock absorption:	43External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配 前375 后400
Rear axle:	Semi-floating/fully floating	Tires:	Fit front 375 back 400

雄霸 (A款)



产品/Product



参数/Parameters

规格尺寸:	1600x1100mm	电机:	1500/2200W
Specifications size:	1600x1100mm	Motor:	1500/2200W
控制器:	专用	减震:	43外簧液压减震
Controller:	Specialized	Shock absorption:	43External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配 前370 后400
Rear axle:	Semi-floating/fully floating	Tires:	Fit front 370 back 400

冠军



战将



产品/Product



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm	电机:	1200/1500W
Specifications size:	1500x1000mm 1600x1100mm	Motor:	1200/1500W
控制器:	24/30管	减震:	37外簧液压减震
Controller:	24/30Pipe	Shock absorption:	37External spring hydraulic damper
后桥:	锥度/半浮/全浮	轮胎:	适配前350后375
Rear axle:	Taper/Semi-floating/Full floating	Tires:	Fit front 350 back 375

参数/Parameters

规格尺寸:	1600x1100mm	电机:	1500/1800W
Specifications size:	1600x1100mm	Motor:	1500/1800W
控制器:	24/30管	减震:	43外簧液压减震
Controller:	24/30Pipe	Shock absorption:	43External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配前375后400
Rear axle:	Semi-floating/Full floating	Tires:	Fit front 375 back 400

悍马 (自卸王)



产品/Product



参数/Parameters

规格尺寸:	1600x1100mm	电机:	1500/1800W
Specifications size:	1600x1100mm	Motor:	1500/1800W
控制器:	24/30管	减震:	43外簧液压减震
Controller:	24/30Pipe	Shock absorption:	43External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配 前375 后400
Rear axle:	Semi-floating/Full floating	Tires:	Fit front 375 back 400

战豹



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm	电机:	1200/1500W
Specifications size:	1500x1000mm 1600x1100mm	Motor:	1200/1500W
控制器:	24/30管	减震:	外簧液压减震
Controller:	24/30Pipe	Shock absorption:	External spring hydraulic damper
后桥:	锥度/半浮/全浮	轮胎:	适配 前350 后375
Rear axle:	Taper/Semi-floating/Full floating	Tires:	Fit front 350 back 375

战神1



战神2



产品/Product



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm	电机:	1200/1500W
Specifications size:	1500x1000mm 1600x1100mm	Motor:	1200/1500W
控制器:	24/30管	减震:	37外簧液压减震
Controller:	24/30Pipe	Shock absorption:	37External spring hydraulic damper
后桥:	锥度/半浮/全浮	轮胎:	适配 前350 后375
Rear axle:	Taper/Semi-floating/Full floating	Tires:	Fit front 350 back 375

参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm	电机:	1200/1500W
Specifications size:	1500x1000mm 1600x1100mm	Motor:	1200/1500W
控制器:	24/30管	减震:	37外簧液压减震
Controller:	24/30Pipe	Shock absorption:	37External spring hydraulic damper
后桥:	锥度/半浮/全浮	轮胎:	适配 前350 后375
Rear axle:	Taper/Semi-floating/Full floating	Tires:	Fit front 350 back 375

战豹3



产品/Product



参数/Parameters

规格尺寸:	1300x900mm	电机:	1000/1200W
Specifications size:	1300x900mm	Motor:	1000/1200W
控制器:	18/24管	减震:	37外簧液压减震
Controller:	18/24Pipe	Shock absorption:	37External spring hydraulic damper
后桥:	锥度/半浮	轮胎:	适配 前350 后375
Rear axle:	Taper/Semi-floating	Tires:	Fit front 350 back 375

Q7



产品/Product



参数/Parameters

规格尺寸:	1300x900mm	电机:	1000/1200W
Specifications size:	1300x900mm	Motor:	1000/1200W
控制器:	18/24管	减震:	31外簧液压减震
Controller:	18/24Pipe	Shock absorption:	31External spring hydraulic damper
后桥:	锥度/半浮	轮胎:	适配 前300 后300
Rear axle:	Taper/Semi-floating	Tires:	Fit front 300 back 300

X5



X6



产品/Product



产品/Product



参数/Parameters

规格尺寸:	1200x900mm	电机:	1000/1200W
Specifications size:	1200x900mm	Motor:	1000/1200W
控制器:	18/24管	减震:	31液压减震
Controller:	18/24Pipe	Shock absorption:	31Hydraulic shock absorber
后桥:	锥度	轮胎:	适配 前300 后300
Rear axle:	Taper	Tires:	Fit front 300 back 300

参数/Parameters

规格尺寸:	1200x900mm	电机:	1000/1200W
Specifications size:	1200x900mm	Motor:	1000/1200W
控制器:	18/24管	减震:	31液压减震
Controller:	18/24Pipe	Shock absorption:	31Hydraulic shock absorber
后桥:	锥度/半浮	轮胎:	适配 前300 后350
Rear axle:	Taper/Semi-floating	Tires:	Fit front 300 back 350

霸道 (豪华蓬)



产品/Product



参数/Parameters

规格尺寸:	1600x1100mm
Specifications size:	1600x1100mm
控制器:	24/30管
Controller:	24/30Pipe
后 桥:	半浮/全浮
Rear axle:	Semi-floating/Full floating
电 机:	1500/1800W
Motor:	1500/1800W
减 震:	43外簧液压减震
Shock absorption:	43External spring hydraulic damper
轮 胎:	适配 前375 后400
Tires:	Fit front 375 back 400

新款敞篷



新款敞篷 (锰钢门芯)



产品/Product



产品/Product



参数/Parameters

规格尺寸:	1600x1100mm	电 机:	1500/1800W
Specifications size:	1600x1100mm	Motor:	1500/1800W
控制器:	24/30管	减 震:	外簧液压减震专用
Controller:	24/30Pipe	Shock absorption:	External spring hydraulic damper
后 桥:	半浮/全浮	轮 胎:	适配 前350 后375
Rear axle:	Semi-floating/Full floating	Tires:	Fit front 350 back 375

参数/Parameters

规格尺寸:	1600x1100mm	电 机:	1200/1800W
Specifications size:	1600x1100mm	Motor:	1200/1800W
控制器:	24/30管	减 震:	外簧液压减震专用
Controller:	24/30Pipe	Shock absorption:	External spring hydraulic damper
后 桥:	半浮/全浮	轮 胎:	适配 前350 后375
Rear axle:	Semi-floating/fully floating	Tires:	Fit front 350 back 375

新款半蓬 (锰钢门芯)



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm	电机:	1500/1800W
Specifications size:	1500x1000mm 1600x1100mm	Motor:	1500/1800W
控制器:	24/30管	减震:	外簧液压减震专用
Controller:	24/30Pipe	Shock absorption:	External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配 前350 后400
Rear axle:	Semi-floating/Full floating	Tires:	Fit front 350 back 400

新款半蓬



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm	电机:	1500/1800W
Specifications size:	1500x1000mm 1600x1100mm	Motor:	1500/1800W
控制器:	24/30管	减震:	外簧液压减震专用
Controller:	24/30Pipe	Shock absorption:	External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配 前350 后400
Rear axle:	Semi-floating/Full floating	Tires:	Fit front 350 back 400

悍马1.8



产品/Product



参数/Parameters

规格尺寸:	1800x1200mm	电机:	1800/2200W
Specifications size:	1800x1200mm	Motor:	1800/2200W
控制器:	30/36管	减震:	43外簧液压减震
Controller:	30/36Pipe	Shock absorption:	43External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配 前375 后400
Rear axle:	Semi-floating/fully floating	Tires:	Fit front 375 back 400

悍马 (简易蓬)



产品/Product



参数/Parameters

规格尺寸:	1600x1100mm	电机:	1500/1800W
Specifications size:	1600x1100mm	Motor:	1500/1800W
控制器:	24/30管	减震:	43外簧液压减震
Controller:	24/30Pipe	Shock absorption:	43External spring hydraulic damper
后桥:	半浮/全浮	轮胎:	适配 前375 后400
Rear axle:	Semi-floating/Full floating	Tires:	Fit front 375 back 400

战神1 (简易蓬)



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm
Specifications size:	1500x1000mm 1600x1100mm
控制器:	24/30管
Controller:	24/30Pipe
后 桥:	锥度/半浮/全浮
Rear axle:	Taper/Semi-floating/Full floating
电 机:	1200/1500W
Motor:	1200/1500W
减 震:	37外簧液压减震
Shock absorption:	37External spring hydraulic damper
轮 胎:	适配 前350 后400
Tires:	Fit front 350 back 400

战神2 (简易蓬)



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm
Specifications size:	1500x1000mm 1600x1100mm
控制器:	24/30管
Controller:	24/30Pipe
后 桥:	锥度/半浮/全浮
Rear axle:	Taper/Semi-floating/Full floating
电 机:	1200/1500W
Motor:	1200/1500W
减 震:	37外簧液压减震
Shock absorption:	37External spring hydraulic damper
轮 胎:	适配 前350 后400
Tires:	Fit front 350 back 400

战神3 (简易蓬)



产品/Product



参数/Parameters

规格尺寸:	1500x1000mm 1600x1100mm
Specifications size:	1500x1000mm 1600x1100mm
控制器:	24/30管
Controller:	24/30Pipe
后 桥:	锥度/半浮/全浮
Rear axle:	Taper/Semi-floating/Full floating
电 机:	1200/1500W
Motor:	1200/1500W
减 震:	37外簧液压减震
Shock absorption:	37External spring hydraulic damper
轮 胎:	适配 前350 后400
Tires:	Fit front 350 back 400

X5 (简易蓬)



产品/Product



参数/Parameters

规格尺寸:	1200x900mm
Specifications size:	1200x900mm
控制器:	18/24管
Controller:	18/24Pipe
后 桥:	锥度/半浮
Rear axle:	Taper/Semi-floating
电 机:	1000/1200W
Motor:	1000/1200W
减 震:	31外簧液压减震
Shock absorption:	31External spring hydraulic damper
轮 胎:	适配 前300 后300
Tires:	Fit front 300 back 300

X6 (简易蓬)



产品/Product



参数/Parameters

规格尺寸:	1200x900mm
Specifications size:	1200x900mm
控制器:	18/24管
Controller:	18/24Pipe
后 桥:	锥度/半浮
Rear axle:	Taper/Semi-floating
电 机:	1000/1200W
Motor:	1000/1200W
减 震:	31外簧液压减震
Shock absorption:	31External spring hydraulic damper
轮 胎:	适配 前300 后400
Tires:	Fit front 300 back 400

Q7 (简易蓬)



产品/Product



参数/Parameters

规格尺寸:	1250x900mm
Specifications size:	1250x900mm
控制器:	18/24管
Controller:	18/24Pipe
后 桥:	锥度/半浮
Rear axle:	Taper/Semi-floating
电 机:	1000/1200W
Motor:	1000/1200W
减 震:	31外簧液压减震
Shock absorption:	31External spring hydraulic damper
轮 胎:	适配 前300 后400
Tires:	Fit front 300 back 400

24小时
AFTER-SALE SERVICE

[售后服务]

理念

合作

专业

团队

客户
信赖

全方位 技术支持

Full range of technical support



精于技 诚于心
聚合力 勇革新

四川迪申科技有限责任公司
SICHUAN DISHEN TECHNOLOGY CO., LTD.

咨询热线：191 6126 5888 188 8233 1567